



KARYA TULIS ILMIAH

**ASUHAN KEPERAWATAN PADA RESPONDEN SKIZOFRENIA
DENGAN GANGGUAN KOSEP DIRI: HARGA DIRI RENDAH
DI RSJD Dr. ARIF ZAINUDIN SURAKARTA**

FIRA MONICA

P27220020020

POLITEKNIK KESEHATAN SURAKARTA

JURUSAN KEPERAWATAN

PRODI DIPLOMA III

2023

**ASUHAN KEPERAWATAN PADA RESPONDEN SKIZOFRENIA
DENGAN GANGGUAN KONSEP DIRI: HARGA DIRI RENDAH DI RSJD**

DR. ARIF ZAINUDIN SURAKARTA

Fira Monica ¹, Endang Caturini S., S.Kep., Ns., M.Kep ². Insiyah, MN ³. Program Studi D-III Keperawatan, Poltekkes Kemenkes Surakarta (2023)

ABSTRAK

Latar Belakang: Skizofrenia merupakan gangguan jiwa berat dengan angka prevalensi paling tinggi yaitu 1,7 per 1000 penduduk. Skizofrenia memiliki dua gejala utama yaitu gejala positif dan negatif. Gejala negatif yang dialami responden skizofrenia diantaranya afek datar, tidak memiliki kemauan, merasa tidak nyaman, dan menarik diri dari masyarakat. Gejala tersebut juga ditemukan pada responden dengan harga diri rendah. **Tujuan:** Memberikan Asuhan Keperawatan pada responden skizofrenia dengan gangguan konsep diri: harga diri rendah. **Metode:** Deskriptif dengan teknik pengumpulan data melalui wawancara, observasi pada kedua responden. **Hasil:** evaluasi kedua responden mampu menunjukkan bahwa asuhan keperawatan dengan intervensi keperawatan melatih kemampuan positif yang dimiliki (merapihkan tempat tidur, menyapu, mencuci piring, mengepel) dapat meningkatkan aspek positif ditandai dengan penilaian diri positif meningkat, perasaan malu menurun, percaya diri berbicara meningkat dan kontak mata meningkat. **Kesimpulan:** Asuhan dengan pelaksanaan intervensi dengan melatih kemampuan positif pada responden skizofrenia dengan gangguan konsep diri: harga diri rendah dapat meningkatkan harga diri **Saran:** Untuk mencapai tujuan yang maksimal diperlukan hubungan saling percaya antar responden dengan perawat.

Kata Kunci: Skizofrenia, Harga Diri Rendah, Strategi Pelaksanaan.

**NURSING CARE OF SCHIZOPHRENIC PATIENTS WITH DISORDERS
OF SELF-CONCEPT: LOW SELF-ESTEEM IN RSJD DR. ARIF
ZAINUDIN SURAKARTA**

*Fira Monica¹, Endang Caturini S., S.Kep., Ns., M.Kep². Insiyah, MN³.Nursing
D-III Study Program, Poltekkes Kemenkes Surakarta (2023)*

ABSTRACT

Background: Schizophrenia is a serious mental disorder with the highest prevalence rate, which is 1.7 per 1000 population. Schizophrenia has two main symptoms, namely positive and negative symptoms. Negative symptoms experienced by schizophrenic patients include flat affect, lack of will, feeling uncomfortable, and withdrawing from society. These symptoms are also found in patients with low self-esteem. **Objective:** To provide nursing care to schizophrenic patients with impaired self-concept: low self-esteem. **Method:** Descriptive with data collection techniques through interviews, observation of both patients. **Results:** the evaluation of the two respondents was able to show that nursing care with nursing interventions training their positive abilities (making beds, sweeping, washing dishes, mopping) can increase positive aspects marked by increased positive self-assessment, decreased feelings of shame, increased self-confidence in speaking and increased eye contact. **Conclusion:** Caring with the implementation of interventions by training positive abilities in schizophrenic patients with impaired self-concept: low self-esteem can increase self-esteem **Suggestion:** To achieve maximum goals, a relationship of mutual trust is needed between patients and nurses.

Keywords: Schizophrenia, Low Self-Esteem, Implementation Strategy.