

SKRIPSI

HUBUNGAN DUKUNGAN KELUARGA DENGAN KEPATUHAN KONTROL BEROBAT PADA PASIEN SKIZOFRENIA DI POLI RUMAH SAKIT JIWA DAERAH SURAKARTA

Di susun Guna Memperoleh Gelar Sarjana Keperawatan
Dalam Program Studi Keperawatan
Universitas Sahid Surakarta



Disusun oleh:

ISTINI KUSUMA WARDANI

NIM. 2021122035

**PROGRAM STUDI KEPERAWATAN
FAKULTAS SAINS, TEKNOLOGI, DAN KESEHATAN
UNIVERSITAS SAHID SURAKARTA
2023**

INTISARI

HUBUNGAN DUKUNGAN KELUARGA DENGAN KEPATUHAN KONTROL BEROBAT PADA PASIEN SKIZOFRENIA DI POLI RUMAH SAKIT JIWA DAERAH SURAKARTA

Istini Kusuma Wardani¹⁾, Atik Aryani²⁾, Vitri Dyah Herawati³⁾

Latar Belakang: Skizofrenia atau gangguan jiwa merupakan salah satu dari masalah kesehatan terbesar yang terjadi selain penyakit degeneratif, kanker dan kecelakaan. Salah satu faktor utama penatalaksanaan terapi penyakit gangguan jiwa adalah kepatuhan kontrol dalam pengobatan. Pasien gangguan jiwa yang menjalani rawat jalan memerlukan dukungan dari keluarga untuk mematuhi program pengobatan sehingga dapat meningkatkan status kesehatan pasien skizofrenia.

Tujuan : Untuk mengetahui hubungan dukungan keluarga dengan kepatuhan kontrol berobat pada pasien skizofrenia di Poli Rumah Sakit Jiwa Daerah Surakarta.

Metode: Penelitian ini merupakan penelitian kuantitatif dengan pendekatan *retrospektif*. Populasi penelitian adalah pasien dengan diagnosa gangguan jiwa skizofrenia yang kontrol rutin di poli jiwa RSJD Surakarta selama minimal 6 bulan yaitu sebanyak 802 pasien yang memenuhi kriteria sebanyak 267 responden dengan teknik sampling yaitu *purposive sampling*. Analisa data menggunakan analisis univariat, bivariat dengan uji *Kendall's tau-b*.

Hasil : Hasil dari penelitian menunjukkan bahwa dukungan keluarga pada orang dengan skizofrenia di RSJD Surakarta sebagian besar responden mendapatkan dukungan keluarga kategori rendah 146 responden (54,7%). Kepatuhan kontrol berobat pasien skizofrenia di RSJD Surakarta sebagian besar termasuk kategori rendah 136 responden (50,9%). Hasil analisis uji *Kendall tau-b* diperoleh nilai p value 0,001, artinya ada hubungan dukungan keluarga terhadap tingkat kekambuhan.

Kesimpulan : Ada hubungan dukungan keluarga dengan kepatuhan kontrol berobat pada pasien skizofrenia di RSJD

Kata kunci : dukungan keluarga, kepatuhan kontrol, skizofrenia

1. Mahasiswa Program Studi Keperawatan Usahid Surakarta

2.3 Dosen Program Studi Keperawatan Usahid Surakarta

ABSTRACT

THE CORRELATION BETWEEN FAMILY SUPPORT AND TREATMENT CONTROL COMPLIANCE IN SCHIZOPHRENIC PATIENTS IN THE POLYCLINIC OF SURAKARTA MENTAL HOSPITAL

Istini Kusuma Wardani¹⁾, Atik Aryani²⁾, Vitri Dyah Herawati³⁾

Background: Schizophrenia, or mental disorder, is one of the biggest health problems besides degenerative diseases, cancer, and accidents. One of the main factors in managing mental disorders is adherence to medication control. Outpatient psychiatric patients need support from their families to comply with treatment programs so it can improve the health status of schizophrenic patients.

Objectives: To determine the correlation between family support and adherence to medication control in schizophrenic patients at the Surakarta mental Hospital Polyclinic.

Method: This research was a quantitative study with a retrospective approach. The study population was patients diagnosed with schizophrenia who were routinely controlled at the psychiatric polyclinic at RSJD (mental hospital) Surakarta for at least six months. Based on 802 patients who met the criteria, 267 respondents were used as samples using the purposive sampling technique. Data analysis used univariate analysis, while bivariate analysis used Kendall's tau-b test.

Results: The study shows that family support for people with schizophrenia in Surakarta mental hospital mostly gets family support in the low category of 146 respondents (54.7%). Most schizophrenia patients' adherence to treatment at RSJD Surakarta was in a low category, with 136 respondents (50.9%). The Kendall tau-b test analysis results obtained a p value of 0.001. It means that there is a correlation between family support and recurrence rate.

Conclusion: There is a correlation between family support and adherence to medication control in schizophrenic patients at RSJD Surakarta.

Keywords: Family Support, Control Adherence, Schizophrenia

- 1) Students of the Nursing Department of Sahid Surakarta University
- 2) Lecturer of Nursing Department of Sahid Surakarta University
- 3) Lecturer of Nursing Department of Sahid Surakarta University

